

EC TYPE-EXAMINATION CERTIFICATE: 1789

Product description: - Personal Protective Spectacles

Product identification: - Protégé

Manufacturer: Sperian Eye and Face Protection Inc.
10 Thurber Boulevard
Smithfield
RI 02917
U S A

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: - Sperian Protection Europe (SAS)
ZI Paris Nord II
33 Rue des Vanesses, BP 50 288
95958 Roissy CDG cedex
France

Signed 

Date: 31st March 2008

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
(Notified Body No: 0194)

For terms and conditions of issue, see page 2



Terms and Conditions

Reference Documents: -

- | | | | |
|------|----------------|---|--|
| i) | Test Report | - | ICS T3029-01-1 Issue 1 & T3029-01-2 Issue 1 |
| ii) | Technical File | - | TF/1789 |
| iii) | Quality Plan | - | Sperian Eye & Face Protection, Inc QP EN 166 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



CERTIFICATION INDEX

Item	Status	Issued	Amendment
Certificate, Pages 1 – 4	Withdrawn	31/03/08	Initial Issue
Certificate, Pages 1 – 4	Withdrawn	10/04/08	Addition of new shades
Certificate, Pages 1 – 4	Valid	13/05/08	Addition of frame with no logo



CERTIFICATION SCHEDULE

Model	Lens colour and coating	Optical Class	Lens Filter	Options
1015366	Clear HC	1	2C-1.2	FT
1015364	Clear FOG-BAN	1	2C-1.2	FT
1015363	TSR Gray HC	1	5-2.5	FT
1015353	TSR Gray FOG-BAN	1	5-2.5	FT
1015710	Silver Mirror HC	1	5-3.1	FT
1015689	I/O Silver HC	1	5-1.7	FT
1016341	HDL Yellow HC	1	2-1.2	FT
1016342	HDL Yellow FOG-BAN	1	2-1.2	FT
1017748	TSR GREY HC NO LOGO	1	5-2.5	FT

All lenses are polycarbonate

Key:

FT - Low energy impact at extremes of temperature

